JOSH GOTTHEIMER

 5тн District, New Jersey

 WASHINGTON OFFICE

 203 CANNON HOUSE OFFICE BUILDING

 WASHINGTON, DC 20515

 (202) 225-4465

 FAX: (202) 225-4465

 FAX: (202) 225-4465

 HTTP://GOTTHEMER.HOUSE.GOV

 WINTER: @REP.JOSHG

 FACEBOOK.COM/REP.JOSHG



Congress of the United States House of Representatives Washington, DC 20515-3005

COMMITTEE FINANCIAL SERVICES SUBCOMMITTEES: NATIONAL SECURITY, INTERNATIONAL DEVELOPMENT AND MONETARY POLICY INVESTOR PROTECTION, ENTREPRENEURSHIP, AND CAPITAL MARKETS DVERSITY AND INCLUSION HOMELAND SECURITY INTELLIGENCE AND COUNTERTERPORISM TRANSPORTATION AND MARITIME SECURITY PROBLEM SOLVERS CAUCUS

April 28, 2022

Dear Chair DeLauro and Ranking Member Granger:

I am requesting funding for a Storm Water Discharge Project for the City of Hackensack in fiscal year 2023.

The entity to receive funding for this project is the City of Hackensack, located at 65 Central Avenue, Hackensack, NJ 07601.

The project proposed in this request includes the installation of storm water infrastructure that will help further control storm water quantity, improve water quality, comply with the City's Long Term Control Plan (LTCP) requirements, and protect public health by reducing peak flows into the Combined Sewer System (CSS). This project is in the State's Intended Use Plan (IUP) Project Priority List (PPL) receiving financial assistance from the Clean Water State Revolving Fund (CWSRF) through the New Jersey Environmental Infrastructure Funding Program (NJEIFP)

I certify that neither I nor my immediate family has any financial interest in this project.

